

# Xerox® VersaLink® Colour Printer and Colour Multifunction Printers

Powerful performance. Personalized productivity.



**C600/C605**

ConnectKey®

Technology

**xerox**™

# Xerox® VersaLink® C600 Colour Printer and Xerox® VersaLink® C605 Colour Multifunction Printer

The VersaLink® C600 Colour Printer and VersaLink® C605 Colour Multifunction Printer represent the new definition of exceptional performance and unbeatable reliability. Cloud-connected, mobile-ready, app-enabled, and easy to customise, the C600 and C605 are your modern workplace assistants – transforming the way you work today, while ensuring you'll stay one step ahead tomorrow.

## RELIABLE PRODUCTIVITY AND PEACE OF MIND.

Count on your VersaLink® C600 or C605 to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go – hassle free.

Superior reliability, comes from a new hardware design with fewer moving parts, and a more advanced Hi-Q LED print head.

VersaLink® devices are loaded with features designed to reduce inefficiency. Device management and user training can be done anywhere with the time-saving Remote Control Panel.

The most security-minded businesses and governments choose Xerox. We offer a comprehensive approach to print security that includes a powerful mix of built-in features and services that mitigate risk through a vigorous focus to prevent unauthorised access, detect suspect or malicious behaviour, and protect data and documents.

A print resolution of up to 1200 x 2400 dpi delivers sharp text and fine line detail, plus exceptional colour vibrancy.

## EASY, EFFICIENT AND ENTIRELY NEW.

With the customisable, capacitive 7-inch colour touchscreen (5-inch on the C600), you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Get more done in less time by creating customised 1-Touch Apps<sup>1</sup> to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly

perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure access to task-specific presets, individualised favourite contacts, and commonly used apps on a personalised home screen.

## MOBILE FREEDOM AND APP-BASED FLEXIBILITY.

The VersaLink® C600 Colour Printer and VersaLink® C605 Colour Multifunction Printer give you the freedom to work where and how you want – with access to Google Drive™, Microsoft® OneDrive® and DropBox™ and additional options through the Xerox App Gallery.

VersaLink® devices deliver for today's mobile worker with Apple® AirPrint®, Xerox® Print Services plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting [www.xerox.com/Mobile](http://www.xerox.com/Mobile).

## ENVIRONMENTAL STEWARDSHIP.

VersaLink® devices meet or exceed the requirements of the world's most widely recognized certifications for product environmental performance, including EPEAT®, which verifies manufacturer claims regarding design, production, energy use and recycling. (See the complete list of EPEAT-verified VersaLink® products.) For more information about our environmental, health, safety and sustainability efforts, visit [www.xerox.com](http://www.xerox.com).

## XEROX® CONNECTKEY® TECHNOLOGY.

### Intuitive User Experience

A familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customisation.

### Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

### Benchmark Security

Comprehensive security that includes a powerful mix of built-in features and services to prevent unauthorised access, detect suspect or malicious behaviour, and protect data and documents.

### Enables Next Generation Services

Easy integration of Xerox® Intelligent Workplace Services. Enables remote monitoring of service delivery and consumables.

### Gateway to New Possibilities

Instantly extend your capabilities with real-world apps from the Xerox App Gallery, or talk with one of our partners to design and develop a solution specific to your business needs.

Find out more about how you'll work smarter at [www.ConnectKey.com](http://www.ConnectKey.com).

<sup>1</sup> VersaLink® C605 only

To learn more about VersaLink® device features, go to [www.xerox.com/VersaLinkEG](http://www.xerox.com/VersaLinkEG)



#### Xerox® VersaLink® C600 Colour Printer

Print. Mobile connectivity.

**1** **500-sheet output tray** with tray-full sensor (400-sheet capacity on C605X).

**2** **Card Reader Bay** for internal Card Reader/RFID Kit (C600 includes an internal card reader compartment located behind the touch screen. External Card Reader/RFID Kit is required when Finisher/Mailbox is included).

**3** **Standard 250 GB Hard Drive** (optional with the C600) increases the capabilities of numerous app-based functions.

**4** **A front-side USB port**<sup>1</sup> allows users to quickly print from or scan to<sup>2</sup> any standard USB memory device.

#### Xerox® VersaLink® C605 Colour Multifunction Printer

Print. Copy. Scan. Fax. Email. Mobile connectivity.

**5** **150-sheet Bypass Tray** handles media sizes from 76.2 x 127 mm to 216 x 356 mm.

**6** **Tray 1** handles up to 550 sheets with custom sizes of 76 x 190 mm to 216 x 356 mm.

**7** **A 100-sheet Single-pass Duplex Automatic Document Feeder (DADF)** scans two-sided originals for copy, scan and fax jobs.

**8** **A The optional Stand (includes Caster Base)** provides storage for toner cartridges and other supplies.

**9** **The High Capacity Feeder** adds up to 2,000 sheets with standard sizes of 216 x 356 mm to 210 x 297 mm.

**10** **Add up to 4 additional 550-sheet paper trays** that handle sizes from 76 x 190 mm to 216 x 356 mm (maximum of 2 additional trays with optional cabinet, maximum of 1 additional tray with High Capacity Feeder).

**11** **The optional finisher** collates and staples sets of up to 50 sheets and includes a 500-sheet output tray.

**12** **The optional mailbox** includes 4 bins and each tray can handle up to 100 sheets.

<sup>1</sup> USB ports can be disabled.

<sup>2</sup> VersaLink® C605 only.

#### INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet the industry's most advanced colour touchscreen interface. Whether 7-inch (C605) or 5-inch (C600), it's a user experience that sets a higher standard for customisation, personalisation and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and centre. Don't like where a function or app is located? Customise the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® C600 Colour Printer and VersaLink® C605 Colour Multifunction Printer get more work done, faster.



# Xerox® VersaLink® C600/C605

The VersaLink® C600 Colour Printer and C605 Colour Multifunction Printer are built on Xerox® ConnectKey® Technology. For more information, visit [www.ConnectKey.com](http://www.ConnectKey.com).

ConnectKey®

Technology

DEVICE SPECIFICATIONS		VersaLink® C600 Colour Printer DN	VersaLink® C605 Colour Multifunction Printer X, XL
Speed <sup>1</sup>		Up to 53 ppm	
Duty Cycle <sup>2</sup>		Up to 120,000 pages/month <sup>2</sup>	
Processor/Memory/Hard Drive		1.05 GHz ARM Dual Core/2 GB/Optional 320 GB HDD	
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	
Controller Features		Unified Address Book (C605), Configuration Cloning, Scan Preview (C605), Xerox Extensible Interface Platform®, Xerox® App Gallery App, Xerox® Standard Accounting Tool, Online Support	
<b>PAPER HANDLING</b>			
Paper Input	Standard	N/A	<b>Single-Pass Duplex Automatic Document Feeder (DADF):</b> 100 sheets; Custom sizes: 140 x 203 mm to 216 x 356 mm
		<b>Bypass Tray:</b> Up to 150 sheets; Custom sizes: 76 x 127 mm to 216 x 356 mm <b>Tray 1:</b> Up to 550 sheets; Custom sizes: 76 x 190 mm to 216 x 356 mm	
Optional		<b>Up to 4 Additional Trays:</b> Up to 550 sheets; Custom sizes: 76 x 190 mm to 216 x 356 mm <b>High Capacity Feeder:</b> Up to 2,000 sheets; 216 x 356 mm to 210 x 297 mm	
Paper Output	Standard	500 sheets	C605: 400 sheets
	Optional	<b>Finisher</b> (Not available with C605/X): 500-sheet tray, 50-sheet stapling <b>Mailbox</b> (Not available with C605/X): Four 100-sheet bins	
Automatic Two-sided Output		Standard	
<b>COPY AND PRINT</b>	Resolution	<b>Print:</b> Up to 1200 x 2400 dpi	<b>Print:</b> Up to 1200 x 2400 dpi; <b>Copy:</b> Up to 600 x 600 dpi
First-page-out Time (as fast as)		<b>Print:</b> As Fast As 5.1 seconds color/ 4.8 second black-and-white	<b>Print:</b> As Fast As 5.2 seconds color/ 4.7 second black-and-white <b>Copy:</b> As fast as 6.7 seconds color/4.8 seconds black-and-white
Page Description Languages		PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™	
<b>INTUITIVE USER EXPERIENCE</b>			
Customise and Personalise		Walkup customisation, Personalise Home Screen by User, Multiple Home Screens with Simple ID, Customise by Site, Function or Workflow with Xerox App Gallery	
Print Drivers		Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®	
Xerox® Embedded Web Server		PC or mobile – Status Information, Responsive Design, Settings, Device Management, Cloning	
Preview		N/A	Preview of Scan/Fax with Zoom, Rotate, Add Page
Remote Console		Remote Control Panel	
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode	
Scan		N/A	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, Secure Scanning via SFTP
Fax <sup>3</sup>		N/A	Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email, Server Fax)
<b>MOBILE AND CLOUD READY</b>			
Mobile Printing		Apple® AirPrint® <sup>4</sup> , Mopria® Certified, Mopria® Print Service Plug-in for Android™, Xerox® @printbyXerox App, Xerox® Print Services plug-in for Android™	
Mobility Options		Xerox® Mobile Print Solution and Mobile Print Cloud <sup>5</sup> , Connect via NFC/Wi-Fi Direct Printing, Xerox® Mobile Link App (C605). Visit <a href="http://www.xerox.com/OfficeMobileApps">www.xerox.com/OfficeMobileApps</a> for available apps	
Cloud Connectors <sup>5</sup>		Print from/Scan to Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform and more	
<b>BENCHMARK SECURITY</b>			
Network Security		IPSec, HTTPS, encrypted email, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity Services Engine (ISE) integration	
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader, Trusted Platform Module (TPM)	
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408) (undergoing evaluation)	
Document Security		Secure Print, Secure Fax (C605), Secure Scan (C605), Secure Email (C605), Password Protected PDF (C605)	
<b>ENABLES NEXT GENERATION SERVICES</b>			
Print Management		Xerox® Standard Accounting; <b>Optional:</b> Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at <a href="http://xerox.com/PrintManagement">xerox.com/PrintManagement</a>	
Managing Print		Xerox® Device Manager, Xerox® Support Assistant App, Auto Meter Read, Managed Print Services tools, Configuration Cloning	
Sustainability		Cisco EnergyWise®, Earth Smart Printing, EPEAT-verified, Print User ID on margins	
<b>GATEWAY TO NEW POSSIBILITIES</b>			
Cloud Services		Xerox® Easy Translator (C605) <sup>5</sup> , many additional services available	
Xerox App Gallery		Many apps and cloud services available. Visit <a href="http://www.xerox.com/AppGallery">www.xerox.com/AppGallery</a> for a growing selection of Xerox® Apps available for adding functions	
1 Declared print speed in accordance with ISO/IEC 24734. <sup>2</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; <sup>3</sup> Requires analog phone line; <sup>4</sup> Visit <a href="http://www.apple.com">www.apple.com</a> for AirPrint Certification list. <sup>5</sup> Optional download from Xerox App Gallery to the Printer — <a href="http://www.xerox.com/XeroxAppGallery">www.xerox.com/XeroxAppGallery</a> .			
<b>Certifications</b>			
To view the latest list of certifications, go to <a href="http://www.xerox.com/OfficeCertifications">www.xerox.com/OfficeCertifications</a>			
<b>Supplies and Options</b>			
Standard Capacity Toner Cartridges:			
Black: 6,000 pages <sup>6</sup>	106R03911	C600: Magenta: 16,800 pages <sup>6</sup>	106R03925 4-Bin Mailbox (100 sheets per bin)
Cyan: 6,000 pages <sup>6</sup>	106R03908	C600: Yellow: 16,800 pages <sup>6</sup>	106R03926 Productivity Kit with 320 GB HDD
Magenta: 6,000 pages <sup>6</sup>	106R03909	C605: Black: 16,900 pages <sup>6</sup>	106R03939 Wireless Network Adapter (Wi-Fi Kit)
Yellow: 6,000 pages <sup>6</sup>	106R03910	C605: Cyan: 16,800 pages <sup>6</sup>	106R03936 497K18360
High Capacity Toner Cartridges:			497K16750
Black: 12,200 pages <sup>6</sup>	106R03915	C605: Magenta: 16,800 pages <sup>6</sup>	106R03937
Cyan: 10,100 pages <sup>6</sup>	106R03912	C605: Yellow: 16,800 pages <sup>6</sup>	106R03938
Magenta: 10,100 pages <sup>6</sup>	106R03913	Cyan Drum Cartridge: 50,000 pages <sup>7</sup>	108R01485 6 Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.
Yellow: 10,100 pages <sup>6</sup>	106R03914	Magenta Drum Cartridge: 50,000 pages <sup>7</sup>	108R01486
Extra High Capacity Toner Cartridges:			7 Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit <a href="http://www.office.xerox.com/latest/SUPGL-01.PDF">www.office.xerox.com/latest/SUPGL-01.PDF</a>
C600: Black: 16,900 pages <sup>6</sup>	106R03927	Yellow Drum Cartridge: 50,000 pages <sup>7</sup>	108R01487
C600: Cyan: 16,800 pages <sup>6</sup>	106R03924	Black Drum Cartridge: 50,000 pages <sup>7</sup>	108R01488
		Waste Cartridge: 30,000 pages <sup>7</sup>	108R01416
		1x550-sheet Tray	097S04949
		2,000-sheet High Capacity Feeder (includes Caster Base)	097S04948
		Cabinet (includes stabilisers)	097S04994
		Caster Base	097S04954
		Finisher (500 sheets, 50-sheet stapler)	097S04952
Configurations vary by geography.			
For more detailed specifications, go to <a href="http://www.xerox.com/VersalinkC600Specs">www.xerox.com/VersalinkC600Specs</a> or <a href="http://www.xerox.com/VersalinkC605Specs">www.xerox.com/VersalinkC605Specs</a> .			
For more information, visit us at <a href="http://www.xerox.com/Office">www.xerox.com/Office</a> .			
© 2021 Xerox Corporation. All rights reserved. Xerox®, ConnectKey®, DocuShare®, Global Print Driver®, Mobile Express Driver®, VersaLink®, and Xerox Extensible Interface Platform® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 02/20 TSK-1425 BR26551 VC6BR-011H			

**Xerox**™