## RICOH

#### **Ricoh Aficio SP C242SF**

Desktop Color Laser MFP
Versatile performance in vivid color





capable



affordable







on-demand

## Ricoh Aficio SP C242SF

#### Manage more jobs more efficiently.

In today's fast-paced office environments, success hinges on doing more with less. The new RICOH® Aficio® SP C242SF Desktop Color Laser MFP offers impressive copy/print/scan/fax performance in a small footprint with a price point to match. Meet everyday workflow demands with a host of productivity-enhancing features and produce documents in vibrant color for lasting impact. Designed with user-friendly controls to simplify administrative tasks in any environment, this multifunction system offers all-in-one performance to complete more jobs in less time. Whether the SP C242SF is used as a stand-alone, primary MFP or as an integrated component in a Ricoh Managed Document Services (MDS) strategy, you'll realize the true value of versatility and convenience.



The Ricoh Aficio SP C242SF offers cost-effective print, copy, scan and fax capabilities for incredible multitasking performance and minimal total cost of ownership.

## **ColorEaseCompactValue**

#### **Multitask and Streamline Workflow**

Manage more jobs efficiently with powerful performance from a single all-in-one system.

- Move from job to job quickly. The SP C242SF produces copies and prints up to 21 pages-per-minute for both full-color and black-and-white documents.
- Expedite printing and manage multiple jobs easily with a powerful 400 MHz controller and 256MB RAM.
- Offer convenient access for shared use in growing offices with standard networking—including IPv6 support—and an optional external wireless Ethernet adapter.
- Capture, edit and send information instantly. A full suite of Scan-To document distribution capabilities allows users to leverage existing infrastructure to improve document-related processes.
- Send faxes anywhere at the fastest available speeds with a 33.6 Kbps Super G3 Modem, built-in desktop PC faxing, Internet fax, 200 speed dials, authorized and paperless fax reception and more.
- Share information easily with a strategically placed USB port located on the front of the system. This gives users advanced Scan-to-USB functionality and convenient access for printing images from a digital camera using PictBridge™ software.
- Enjoy near-instant readiness with first print speeds of less than 14 seconds and a warm-up time of less than 30 seconds.
- Replace the standard or high-yield All-In-One print cartridges in seconds with a convenient top-loading design.



Enhance communications with sharp text and vibrant color delivered cost-effectively on a wide range of media for maximum impact.

- Create high-quality color business documents. True 600 x 600 dpi and interpolated resolutions up to 2,400 x 600 dpi meet even the highest image quality demands.
- Optimize toner usage with Economy Color Mode, limiting the amount of toner used on images and graphics to reduce color output costs.
- Capture true quality with full-color and monochrome TWAIN/WIA scanning at up to 1,200 x 1,200 dpi optical resolution and 19,200 x 19,200 dpi driver resolution.
- Accommodate more media with thick paper support up to 42 lb. Bond/83 lb. Index for sizes up to 8.5" x 14"—from both the Standard and Bypass Trays.

#### **Simplify and Improve Functionality**

Designed to reduce total cost of ownership, the Ricoh Aficio SP C242SF packs an impressive collection of cost-efficient features into a compact desktop design.

- Preserve space with a footprint of less than 20 inches for incredible functionality while using minimal desk or counter space.
- Add paper without increasing the footprint. An optional 500-sheet Paper Feed
  Unit can be installed beneath the MFP to bring system capacity to 751 sheets and
  offer instant access to letter- and legal-size sheets.
- Enhance workflow with the standard 35-sheet Automatic Document Feeder. Users can scan originals as large as 8.5" x 14" without placing it on the platen glass to expedite multi-page copying, scanning and faxing.
- Minimize filing space and postage costs with standard automatic duplex printing.
- Protect information—and your budget. Access to system functions and page volume limits can be set with User Restriction controls. Using Locked Print can help secure confidential information.
- Monitor the system in real-time, remotely. Web Image Monitor offers immediate access to supply status and print network settings.



A user-friendly control panel simplifies job setup, monitoring and maintenance to improve efficiency, while a convenient USB port on the front of the device provides access to the PictBridge interface and Scan-to-USB feature without a PC.



All-In-One print cartridges offer easy replacement and long-lasting results to streamline supply purchasing and minimize inventory costs.

# The Total Green Office Solution



Ricoh continues its longstanding commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.

## **Ricoh Aficio SP C242SF**

#### **System Specifications**

Fonts



#### **Engine Specifications**

Aficio SP C242SF Configuration **Imaging Process** 

Part # 406878 Desktop Laser beam scanning &

electrophotographic printing with monocomponent toner development 4-drum tandem method

Reading Element Flatbed with CCD array image sensor 600 x 600 dpi (Speed Mode) Print Resolution

1200 x 600 dpi equiv. (Standard Mode) 2400 x 600 dpi equiv. (Fine Mode) 21 ppm/cpm B&W and Full-Color

Print/Copy Speed (Letter) First Print Speed

14 seconds or less Warm-Up Time 30 seconds or less **Operating Systems** Windows XP/Vista/7/Server 2003/

Server 2003R2/Server 2008 (32 bit/64 bit)/Server 2008R2 (64 bit);Mac OS X 10.3 - 10.6; Citrix MetaFrame, UNIX (using Ricoh UNIX filter)

Software Utilities Web Image Monitor, Presto! PageManager

Standard Paper Capacity 250-sheet Paper Tray + 1-sheet Bypass Tray

751 sheets

**Optional Paper Capacity** Maximum Input Paper Capacity Output Capacity

Automatic Duplex Paper Sizes

Paper Weight

Media Type

150 sheets (face down) Standard

500-sheet Paper Feed Unit

Standard & Bypass Tray: Letter (8.5" x 11"), Legal (8.5" x 14"), EXEC (10.5" x 7.25"), Half Letter (5.5" x 8.5"), A4 (8.3" x 11.7"), A5 (5.8" x 8.3"), A6 (4.1" x 5.8"), B5 JIS (7.2" x 10.1"), B6 JIS (5.0" x 7.2"), F (8" x 13"), Foolscap (8.5" x 13"), Folio (8.25" x 13"), 16 Kai

(7.6" x 10.5") Envelopes: Com10, Monarch, C5,

C6. DL

Custom size: Min. 90 mm x 148 mm (3.6" x 5.92"), Max. 216 mm x 356 mm (8.64" x 14.24") Opt. Paper Feed Unit: Letter (8.5" x 11"), A4 (8.3" x 11.7") Standard and Bypass Tray: 16 - 42 lb. Bond/83 lb. Index (60 - 160 g/m<sup>2</sup>)

Optional Paper Feed Unit: 16 - 28 lb. Bond (60 - 105 g/m<sup>2</sup>) Std. and Bypass Tray: Plain Paper, Middle Thick, Recycled Paper,

Envelopes, Thick Paper, Labels, Thin Paper, Color Paper, Prepunched Paper, Letterhead, Bond Paper, Card Stock and Preprinted Paper (Std. Tray only) Optional Paper Feed Unit: Plain Paper, Middle Thick, Recycled Paper, Thick Paper, Thin Paper, Color Paper, Preprinted Paper, Prepunched Paper,

and Letterhead Dimensions (WxDxH) 16.5" x 19.4" x 18.7"

(420 x 493 x 476 mm) Weight 66.2 lb. (30 kg or less) (including

consumables) **Power Requirements** 120V, 60Hz Max. Power Consumption 1300W or less **Energy Saver Mode** 10W or less

UL60950-1 2nd Edition, CAN/CSA C22.2 Safety Regulations

No. 60950-1 (c-UL)

**Print Specifications** 

CPU 400MHz Printer Languages PCL 5c, PCL 6, PostScript 3 emulation

**RAM Memory** 256 MB RAM standard/maximum Interfaces USB 2.0 10/100Base-TX Ethernet USB Host Interface for PictBridge **Optional Interfaces** IEEE 802.11b/g Wireless

Network Protocols TCP/IP (IPv4, IPv6), IPP, Bonioui Note: Wireless Option and 10/100Base-TX cannot operate simultaneously.

Controller Options

Wireless Adaptor Part # 100118FNG SX-2500CG

Copier Specifications

First Copy Speed 30 seconds for both B&W and

Full-Color

20 cpm B&W/10 cpm Full-Color Multi-Copy Speed Copy Resolution 600 x 600 dpi (Platen)

600 x 300 dpi (ADF) Quantity Indicator 1 - 99

Sheet/Book/3D Objects Original Type Up to 8.5" x 11.7" (Platen); Up to 8.5" x 14" (ADF) Original Size Zoom 25% - 400% in 1% increments

Reduction Ratios: 50%, 65%, 78%, 93%

Enlargement Ratios: 129%, 155%, 200%, 400%

Copier Features Image Density Adjustment (manual only: 5 levels); Copy Mode (Text/Photo/

Mixed); Color Balance Adjustment; Combine Copy (2-in-1, 4-in-1 via ADF only); Duplex Copy; ID Card Copy; Memory Copy; Electronic Sorting (collation, ADF only)

**Scanner Specifications** 

Scan Modes Full-Color, Black and White, Grayscale Compression Black and White: MH/MR/MMR

Color/Grayscale: JPEG Scan Resolution Up to 1200 x 1200 dpi (optical)

Up to 19200 x 19200 dpi (interpolated) Scan Speed Black and White: Less than 5 seconds -per-page

Grayscale: Less than 5 secondsper-page

Full-Color: Less than 10 seconds-

per page

Scan Interface USB 2.0, 10/100Base-TX Ethernet **Utilities & Drivers** TWAIN Driver, Presto! PageManager Scanning Features TWAIN/WIA, Scan-to-Email/Folder/ FTP/USB

**Facsimile Specifications** 

PSTN. PBX Circuit Compatibility ITU-T Group 3

Resolution Standard Mode: 200 x 100 dpi Fine Mode: 200 x 200 dpi MH/MR/MMR/JBIG Compression

Scanning Speed Less than 5 seconds-per-page (B&W)

Less than 10 seconds-per-page

(Full-Color)

33.6 Kbps with automatic fallback Modem Speed Super G3: 2 seconds-per-page Transmission Speed (based on ITU-T Test Chart #1 in

Standard mode)

Memory Backup 1 hour SAF Memory 2MB

One-Touch/Speed Dials 20 locations/200 locations **Facsimile Features** 

Auto Redial; Auto Answer (3 - 5 rings); Auto/Manual/Substitute/ Authorized Reception; Answering Machine Interface (FAX/TAD); Error Correction Mode; User Codes; Memory/Immediate Transmission; Parallel Memory Transmission; Resolution Adjustment: Image Reduction; Serial Broadcasting (100 locations); Smoothing; Contrast Control; Internet Fax; PC Fax (Windows only)

**Hardware Accessories** 

Paper Feed Unit Part # 406019

Paper Size: Letter (8.5" x 11"), Type TK1010

A4 (8.3" x 11.7") Capacity: 500 sheets

**Consumables** 

Yield Item Black All-In-One 2,500 pages\* Part # 406344 Cartridge SP C310A Cyan All-In-One 2,500 pages\* Part # 406345 Cartridge SP C310A Magenta All-In-One 2,500 pages\* Part # 406346 Cartridge SP C310A Yellow All-In-One 2,500 pages\* Part # 406347 Cartridge SP C310A Black All-In-One 6,500 pages\* Part # 406475 Cartridge SP C310HA Cvan All-In-One 6,000 pages\* Part # 406476 Cartridge SP C310HA Magenta All-In-One 6,000 pages\* Part # 406477 Cartridge SP C310HA Yellow All-In-One 6,000 pages\* Part # 406478 Cartridge SP C310HA Waste Toner Bottle 25,000 pages Part # 406043 Type 220

\*Declared yield values in accordance with ISO/IEC 19798. Actual yields may vary based on types of images printed and other factors.

The Ricoh Aficio SP C242SF ships with a starter All-In-One print cartridge that yields approximately 1,000 pages. All other consumables ship at full yield

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies

Specifications subject to change without notice.

Warranty

The Ricoh Aficio SP C242SF is under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, whichever comes first. Please refer to warranty documents shipped with the product for more details.





01111114194

فرع فيصل: 3ش فهمي حجازي- من حسن عبد العال -متفرع من ش فيصل- أمام إدارة الهرم التعليمية ت: 3935880-33935881 - ت: 01112000561-01112000645

فرع مدينة نصر: 17 ش عبد الحكيم الرفاعي - من ش عباس العقاد - امام الحديقة الدولية ت: 01112000539-01112000568-26721840-26721839

فرع اسكندرية؛وابور المياة 25 ش أحمد ذكي أبو شادي- متفرع من ش المنارة -أمام نادي مياة أسكندرية ت: 4252158 :ت